right solutions.
right partner.

ALS TESTING SERVICES INDIA PRIVATE LIMITED

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

1.	Sample Identification	:	202092026ADWY8MV
2.	Ref No	:	HS Code : 15042020
3.	Sample received from	:	Chennai
4.	Sample Particulars	:	OMEGA 3 400/300 TG 1000MG SG
5.	Volume / Weight	:	400 g
6.	Sample received Date	:	12/09/2026
7.	Lot / Batch No	:	N/A
8.	Date of Manufacture	:	N/A
9.	Date of Expiry	:	N/A
10.	Fee Received	:	N/A
11.	Lab Code No	:	IND 219438
12.	Type of Packaging	:	FSSAI Sealed Plastic Bag
13.	Condition of Package	:	Good
14.	Physical Appearance of sample	:	Golden colored Capsules
15.	Labelling – Details sufficient	:	N/A
16.	If condition of packaging or sample or details provided in the label is not acceptable, provide reason	:	N/A
17.	Analysis date of starting:	:	12/09/2026
18.	Analysis completed Date	:	17/09/2026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

Sl No	Quality Parameters	Specified limit as Test Results Test method per FSSR/ as per COA if not mentioned in FSSR	Test Results	Test method
CONTAMINANTS				
1.	Melamine	Max 2.5 mg/kg	<0.10	S01-CLC-0041
METALS AND MINERALS				
2.	Arsenic (As)	Max 1.1 mg/kg	<0.01	S01-CLC-0034
3.	Cadmium (Cd)	Max 1.5 mg/kg	<0.01	S01-CLC-0034
4.	Copper (Cu)	Max 30 mg/kg	<0.05	S01-CLC-0034
5.	Lead (Pb)	Max 2.5 mg/kg	0.02	S01-CLC-0034
6.	Mercury (Hg)	Max 1.0 mg/kg	<0.01	S01-CLC-0034
7.	Tin (Sn)	Max 250 mg/kg	0.09	S01-CLC-0034
8.	Methyl Mercury (as Hg)	Max 0.25 mg/kg	<0.01	S01-CLC-0034
MYCOTOXINS				
9.	Aflatoxin G1	-	<0.5 µg/kg	S01-CLC-0045
10.	Aflatoxin G2	-	<0.5 µg/kg	S01-CLC-0045
11.	Aflatoxin B1	-	<0.5 µg/kg	S01-CLC-0045
12.	Aflatoxin B2	-	<0.5 µg/kg	S01-CLC-0045
13.	Total Aflatoxins	-	<0.5 µg/kg	S01-CLC-0045
COPPER COMPOUNDS				
14.	Copper Oxychloride (as Cu)	Max 30 mg/kg	<0.05	S01-CLC-0034
15.	Copper Hydroxide (as Cu)	Max 30 mg/kg	<0.05	S01-CLC-0034
16.	Copper Sulphate (as Cu)	Max 30 mg/kg	<0.05	S01-CLC-0034
17.	Cuprous Oxide (as Cu)	Max 30 mg/kg	<0.05	S01-CLC-0034
PESTICIDES				
18.	2,4-D Amine Salt	Max 0.01 mg/kg	<0.005	S01-CLC-0026
19.	2,4-Dichlorophenoxy Acetic Acid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
20.	Abamectin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
21.	Acephate (Sum of Methamidophos & Acephate)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
22.	Acetamiprid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
23.	Acifluorfen-sodium	Max 0.01 mg/kg	<0.005	S01-CLC-0026
24.	Alachlor	Max 0.01 mg/kg	<0.005	S01-CLC-0026
25.	Aldicarb	Max 0.01 mg/kg	<0.005	S01-CLC-0026
26.	Aldrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
27.	Alpha Naphthyl Acetic Acid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
28.	Alpha-Cypermethrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

29.	Ametoctradin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
30.	Ametryn	Max 0.01 mg/kg	<0.005	S01-CLC-0026
31.	Anilofos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
32.	Atrazine	Max 0.01 mg/kg	<0.005	S01-CLC-0026
33.	Azimsulfuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
34.	Azoxystrobin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
35.	Benfuracarb	Max 0.01 mg/kg	<0.005	S01-CLC-0026
36.	Bensulfuron-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
37.	Bentazone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
38.	Beta-Cyfluthrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
39.	Bifenthrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
40.	Bispyribac Sodium	Max 0.01 mg/kg	<0.005	S01-CLC-0026
41.	Bitertanol	Max 0.01 mg/kg	<0.005	S01-CLC-0026
42.	Boscalid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
43.	Buprofezin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
44.	Butachlor	Max 0.01 mg/kg	<0.005	S01-CLC-0026
45.	Captafol	Max 0.01 mg/kg	<0.005	S01-CLC-0026
46.	Captan	Max 0.01 mg/kg	<0.005	S01-CLC-0026
47.	Carbaryl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
48.	Carbendazim	Max 0.01 mg/kg	<0.005	S01-CLC-0026
49.	Carbofuran (sum of carbofuran and 3-OH carbofuran)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
50.	Carbosulfan	Max 0.01 mg/kg	<0.005	S01-CLC-0026
51.	Carfentrazone-ethyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
52.	Carpropamid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
53.	Cartap Hydrochloride	Max 0.01 mg/kg	<0.005	S01-CLC-0026
54.	Chlorantraniliprole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
55.	Chlordane	Max 0.01 mg/kg	<0.005	S01-CLC-0026
56.	Chlorfenapyr	Max 0.01 mg/kg	<0.005	S01-CLC-0026
57.	Chlorfluazuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
58.	Chlorimuron-ethyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
59.	Chlormequat-chloride	Max 0.01 mg/kg	<0.005	S01-CLC-0026
60.	Chlorothalonil	Max 0.01 mg/kg	<0.005	S01-CLC-0026
61.	Chlorpropham	Max 0.01 mg/kg	<0.005	S01-CLC-0026
62.	Chlorpyrifos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
63.	Chromafenozide	Max 0.01 mg/kg	<0.005	S01-CLC-0026
64.	Cinmethylin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
65.	Clodinafop-propargyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

66.	Clomazone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
67.	Clothianidin (Sum of Metabolites)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
68.	Cyantraniliprole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
69.	Cyazofamid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
70.	Cyflumetofen	Max 0.01 mg/kg	<0.005	S01-CLC-0026
71.	Cyhalofop-butyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
72.	Cymoxanil	Max 0.01 mg/kg	<0.005	S01-CLC-0026
73.	Cypermethrin (sum of isomers)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
74.	D.D.T	Max 0.05 mg/kg	<0.005	S01-CLC-0026
75.	Deltamethrin (Decamethrin)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
76.	Diafenthiuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
77.	Diazinon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
78.	Dichlorvos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
79.	Diclofop (Sum of diclofop-methyl & diclofop acid as diclofop-methyl)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
80.	Diclosulam	Max 0.01 mg/kg	<0.005	S01-CLC-0026
81.	Dicofol (sum of p, p′ and o,p′ isomers)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
82.	Dieldrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
83.	Difenoconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
84.	Diflubenzuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
85.	Dimethoate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
86.	Dimethomorph	Max 0.01 mg/kg	<0.005	S01-CLC-0026
87.	Dinocap	Max 0.01 mg/kg	<0.005	S01-CLC-0026
88.	Dinotefuran	Max 0.01 mg/kg	<0.005	S01-CLC-0026
89.	Dithianon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
90.	Dithiocarbamates as CS_2 (maneb, mancozeb, metiram, propineb, thiram and ziram)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
91.	Diuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
92.	Dodine	Max 0.01 mg/kg	<0.005	S01-CLC-0026
93.	Edifenphos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
94.	Emamectin Benzoate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
95.	Endosulfan	Max 0.01 mg/kg	<0.005	S01-CLC-0026
96.	Epoxiconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
97.	Ethephon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
98.	Ethion (Sum of Ethion and its oxygen analogue)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
99.	Ethoxysulfuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
100.	Ethyl Parathion	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

101.	Ethylenebis (dithiocarbamate) as CS_2	Max 0.01 mg/kg	<0.005	S01-CLC-0026
102.	Etofenprox	Max 0.01 mg/kg	<0.005	S01-CLC-0026
103.	Etoxazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
104.	Famoxadone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
105.	Fenamidone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
106.	Fenarimol	Max 0.01 mg/kg	<0.005	S01-CLC-0026
107.	Fenazaquin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
108.	Fenitrothion	Max 0.01 mg/kg	<0.005	S01-CLC-0026
109.	Fenobucarb	Max 0.01 mg/kg	<0.005	S01-CLC-0026
110.	Fenoxaprop-P-ethyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
111.	Fenpropathrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
112.	Fenpyroximate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
113.	Fenthion	Max 0.01 mg/kg	<0.005	S01-CLC-0026
114.	Fenvalerate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
115.	Ferbam as CS_2	Max 0.01 mg/kg	<0.005	S01-CLC-0026
116.	Fipronil	Max 0.01 mg/kg	<0.005	S01-CLC-0026
117.	Flonicamid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
118.	Fluazifop-p-butyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
119.	Flubendiamide	Max 0.01 mg/kg	<0.005	S01-CLC-0026
120.	Flucetosulfuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
121.	Fluchloralin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
122.	Flufenacet	Max 0.01 mg/kg	<0.005	S01-CLC-0026
123.	Fluopicolide	Max 0.01 mg/kg	<0.005	S01-CLC-0026
124.	Fluopyram (Sum of Fluopyram and its metabolites)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
125.	Flupyradifurone (Sum of Flupyradifurone and its metabolites)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
126.	Flusilazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
127.	Fluvalinate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
128.	Fluxapyroxad	Max 0.01 mg/kg	<0.005	S01-CLC-0026
129.	Fomesafen	Max 0.01 mg/kg	<0.005	S01-CLC-0026
130.	Forchlorfenuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
131.	Formothion	Max 0.01 mg/kg	<0.005	S01-CLC-0026
132.	Fosetyl-Al	Max 0.01 mg/kg	<0.005	S01-CLC-0026
133.	Glufosinate-ammonium	Max 0.01 mg/kg	<0.005	S01-CLC-0026
134.	Glyphosate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
135.	Halosulfuron methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
136.	Haloxyfop-R-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
137.	Heptachlor	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

138.	Hexaconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
139.	Hexazinone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
140.	Hexythiazox	Max 0.01 mg/kg	<0.005	S01-CLC-0026
141.	Hydrogen Cyanamide	Max 0.01 mg/kg	<0.005	S01-CLC-0105
142.	Imazamox	Max 0.01 mg/kg	<0.005	S01-CLC-0026
143.	Imazethapyr	Max 0.01 mg/kg	<0.005	S01-CLC-0026
144.	Imidacloprid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
145.	Indoxacarb	Max 0.01 mg/kg	<0.005	S01-CLC-0026
146.	Iodosulfuron-methyl sodium	Max 0.01 mg/kg	<0.005	S01-CLC-0026
147.	Iprobenfos (Kitazin)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
148.	Iprodione	Max 0.01 mg/kg	<0.005	S01-CLC-0026
149.	Isoprothiolane	Max 0.01 mg/kg	<0.005	S01-CLC-0026
150.	Isoproturon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
151.	Kasugamycin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
152.	Kresoxim-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
153.	Lambda-Cyhalothrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
154.	Lindane (Gamma-HCH)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
155.	Linuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
156.	Lufenuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
157.	Malathion (Sum of Malathion and Malaoxon)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
158.	Mancozeb as CS_2	Max 0.01 mg/kg	<0.005	S01-CLC-0026
159.	Mandipropamid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
160.	Mepiquat Chloride	Max 0.01 mg/kg	<0.005	S01-CLC-0026
161.	Mesosulfuron-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
162.	Metaflumizone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
163.	Metalaxyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
164.	Metalaxyl-M	Max 0.01 mg/kg	<0.005	S01-CLC-0026
165.	Methabenzthiazuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
166.	Methomyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
167.	Methyl Chlorophenoxyacetic acid (MCPA)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
168.	Metiram as CS_2	Max 0.01 mg/kg	<0.005	S01-CLC-0026
169.	Metolachlor	Max 0.01 mg/kg	<0.005	S01-CLC-0026
170.	Metrafenone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
171.	Metribuzin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
172.	Metsulfuron-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
173.	Milbemectin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
174.	Monocrotophos	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-5617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

175.	Myclobutanil	Max 0.01 mg/kg	<0.005	S01-CLC-0026
176.	Novaluron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
177.	Orthosulfamuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
178.	Oxadiargyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
179.	Parathion-methyl (Sum of Parathion-methyl and its oxygen analogue)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
180.	Oxadiazon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
181.	Oxydemeton-Methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
182.	Oxyfluorfen	Max 0.01 mg/kg	<0.005	S01-CLC-0026
183.	Paclobutrazol	Max 0.01 mg/kg	<0.005	S01-CLC-0026
184.	Paraquat dichloride	Max 0.01 mg/kg	<0.005	S01-CLC-0026
185.	Penconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
186.	Pencycuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
187.	Pendimethalin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
188.	Penoxsulam	Max 0.01 mg/kg	<0.005	S01-CLC-0026
189.	Permethrin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
190.	Phenthoate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
191.	Phorate (Sum of Phorate, its oxygen analogue and their sulphoxides and sulphones	Max 0.01 mg/kg	<0.005	S01-CLC-0026
192.	Phosalone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
193.	Phosphamidon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
194.	Picoxystrobin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
195.	Pinoxaden	Max 0.01 mg/kg	<0.005	S01-CLC-0026
196.	Pirimiphos-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
197.	Pretilachlor	Max 0.01 mg/kg	<0.005	S01-CLC-0026
198.	Profenofos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
199.	Prohexadione-calcium	Max 0.01 mg/kg	<0.005	S01-CLC-0026
200.	Propanil	Max 0.01 mg/kg	<0.005	S01-CLC-0026
201.	Propaquizafop	Max 0.01 mg/kg	<0.005	S01-CLC-0026
202.	Propargite	Max 0.01 mg/kg	<0.005	S01-CLC-0026
203.	Propiconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
204.	Propineb as CS_2	Max 0.01 mg/kg	<0.005	S01-CLC-0026
205.	Pymetrozine	Max 0.01 mg/kg	<0.005	S01-CLC-0026
206.	Pyraclostrobin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
207.	Pyrazosulfuron-ethyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
208.	Pyridalyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
209.	Pyriproxyfen	Max 0.01 mg/kg	<0.005	S01-CLC-0026
210.	Pyrithiobac-sodium	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

211.	Quinalphos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
212.	Quizalofop-ethyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
213.	Quizalofop-P-tefuryl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
214.	Simazine	Max 0.01 mg/kg	<0.005	S01-CLC-0026
215.	Sodium p-nitrophenolate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
216.	Spiromesifen	Max 0.01 mg/kg	<0.005	S01-CLC-0026
217.	Spinosad	Max 0.01 mg/kg	<0.005	S01-CLC-0026
218.	Spinetoram (Sum of Spinetoram-J and Spinetoram –L)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
219.	Spirotetramat	Max 0.01 mg/kg	<0.005	S01-CLC-0026
220.	Sulfentrazone (Sum of Sulfentrazone and its metabolites)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
221.	Sulfosulfuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
222.	Sulfoxaflor	Max 0.01 mg/kg	<0.005	S01-CLC-0026
223.	Sum of benomyl and carbendazim expressed as carbendazim	Max 0.01 mg/kg	<0.005	S01-CLC-0026
224.	Tebuconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
225.	Tembotrione	Max 0.01 mg/kg	<0.005	S01-CLC-0026
226.	Tetraconazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
227.	Thiacloprid	Max 0.01 mg/kg	<0.005	S01-CLC-0026
228.	Thiamethoxam	Max 0.01 mg/kg	<0.005	S01-CLC-0026
229.	Thifluzamide	Max 0.01 mg/kg	<0.005	S01-CLC-0026
230.	Thiocyclam hydrogen oxalate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
231.	Thiodicarb	Max 0.01 mg/kg	<0.005	S01-CLC-0026
232.	Thiometon (Sum of Thiometon its sulfoxide and sulphone)	Max 0.01 mg/kg	<0.005	S01-CLC-0026
233.	Thiophanate-methyl	Max 0.01 mg/kg	<0.005	S01-CLC-0026
234.	Tolfenpyrad	Max 0.01 mg/kg	<0.005	S01-CLC-0026
235.	Topramezone	Max 0.01 mg/kg	<0.005	S01-CLC-0026
236.	Triacontanol	Max 0.01 mg/kg	<0.005	S01-CLC-0026
237.	Triadimefon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
238.	Tri-allate	Max 0.01 mg/kg	<0.005	S01-CLC-0026
239.	Triasulfuron	Max 0.01 mg/kg	<0.005	S01-CLC-0026
240.	Triazophos	Max 0.01 mg/kg	<0.005	S01-CLC-0026
241.	Trichlorfon	Max 0.01 mg/kg	<0.005	S01-CLC-0026
242.	Tricyclazole	Max 0.01 mg/kg	<0.005	S01-CLC-0026
243.	Tridemorph	Max 0.01 mg/kg	<0.005	S01-CLC-0026
244.	Trifloxystrobin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
245.	Trifluralin	Max 0.01 mg/kg	<0.005	S01-CLC-0026
246.	Validamycin	Max 0.01 mg/kg	<0.005	S01-CLC-0026

ALS TESTING SERVICES INDIA PRIVATE LIMITED

right solutions.
right partner.

TC-8617

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Test Certificate No.: TIND218953-1-Final	Date: 18/09/2026
ULR No TC861726000037487F	

247.	Zineb as CS_2	Max 0.01 mg/kg	<0.005	S01-CLC-0026

*****END OF TEST REPORT*****

Max : Maximum

Conclusion:

I am the opinion that the OMEGA 3 400/300 TG 1000MG SG **'Conforms"** to the standards laid down under **6.0** Food Safety and Standards (Health Supplements, Nutraceuticals, Food for Special Dietary Use, Food for Special Medical Purpose, Functional Food and Novel Food) Regulations, 2016 thereof.

ALS Testing Services India Private Limited BENGALURU

Signature.

Mr. Saravanan. B
Food Analyst

Place: Bangalore
Date: 18th Day of Sep2026

right solutions.
right partner.

ALS TESTING SERVICES INDIA PRIVATE LIMITED

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

1.	Sample Identification	:	202092026ADWY8MV
2.	Ref No	:	HS Code : 15042020
3.	Sample received from	:	Chennai
4.	Sample Particulars	:	OMEGA 3 400/300 TG 1000MG SG
5.	Volume / Weight	:	400 g
6.	Sample received Date	:	12/09/2026
7.	Lot / Batch No	:	N/A
8.	Date of Manufacture	:	N/A
9.	Date of Expiry	:	N/A
10.	Fee Received	:	N/A
11.	Lab Code No	:	IND 219438
12.	Type of Packaging	:	FSSAI Sealed Plastic Bag
13.	Condition of Package	:	Good
14.	Physical Appearance of sample	:	Golden colored Capsules
15.	Labelling – Details sufficient	:	N/A
16.	If condition of packaging or sample or details provided in the label is not acceptable, provide reason	:	N/A
17.	Analysis date of starting:	:	12/09/2026
18.	Analysis completed Date	:	18/09/2026

right solutions.
right partner.

ALS TESTING SERVICES INDIA PRIVATE LIMITED

TEST REPORT

FORM–2
[See regulation 10(5)]
REPORT OF LABORATORY ANALYSIS
Name of Laboratory Address: ALS Testing Services India Private Limited Bangalore, India.

Sl No	Quality Parameters	Specified limit as Test Results Test method per FSSR/ as per COA if not mentioned in FSSR	Test Results	Test method
MICROBIOLOGY				
1.	Coliforms	-	<10 cfu/g	IS 5401 (P-1)
2.	Salmonella	-	Absent/25g	IS 5887 (P-3) Sec 1
3.	Enterobacteriaceae	-	<10 cfu/g	ISO 21528 (P-2)
4.	Total Yeast & Mould Count	-	<10 cfu/g	IS 5403
5.	Total Plate Count	-	<10 cfu/g	IS 5402 (P-1)
6.	Shigella	-	Absent/25g	IS 5887 (P-7)
7.	Staphylococcus aureus	-	<10 cfu/g	IS 5887 (P-8) Sec 1
8.	Escherichiacoli	-	Absent/g	IS5887(P-1)

END OF TEST REPORT

Max : Maximum

Conclusion:

I am the opinion that the OMEGA 3 400/300 TG 1000MG SG **"Conforms"** to the standards laid down under **6.0** Food Safety and Standards (Health Supplements, Nutraceuticals, Food for Special Dietary Use, Food for Special Medical Purpose, Functional Food and Novel Food) Regulations, 2016 thereof.

ALS Testing Services India Private Limited BENGALURU

Signature.
Mr. Saravanan. B
Food Analyst

Place: Bangalore
Date: 18th Day of Sep2026